

HOOKLIFT

TELESCOPIC - TELESCOPIC ARTICULATED



bob unilift

lift your life

www.bobunilift.com

bob unilift

4

bob

Chiabotti
Rea

SP 661

SP 159



Da 45 anni produciamo attrezzature per il trasporto di materiali sviluppando un know how globale in grado di renderci una delle aziende di riferimento a livello internazionale.



For 45 years we have been producing equipment for the transport of materials developing a global know-how able to make us one of the reference companies at international level.




Depuis 45 ans, nous produisons des équipements pour le transport de matériaux développant un savoir-faire mondial capable de faire de nous l'une des sociétés de référence au niveau international



Seit 45 Jahren produzieren wir Anlagen für den Transport von Materialien und entwickeln ein globales Know-how, das uns zu einem der Referenzunternehmen auf internationaler Ebene machen kann







BOBEASY
CAB CONTROL

EXTERNAL MECHANICAL
LOCKING




UNDERFRAME PIERCED
LONGITUDINAL MEMBERS




MECHANICAL
LOCKING PINS

SHORT




LONG




MODEL	T 11.000 C	T 11.000 XL
VERSION	SHORT	LONG
LIFTING TIPPING lb	11.000	11.000
HOOK HEIGHT INCHES	36"	36"
HOOK HEIGHT ADJUSTMENT	-	-
CONTAINER LENGHT FEET	10'-12'	12'-14'
CA - CT INCHES	90	114/126
MIN GVWR lb	17.500	17.500
AXLES	SINGLE	SINGLE
DUMP ANGLE	53°	51°
WEIGHT lb	1430	1540
PRESSURE PSI	3800	3800
OIL TANK US GALS	10	10


HOOK WITH MECHANIC
ADJUSTABLE LEVEL



HOOK WITH HYDRAULIC
ADJUSTABLE LEVEL



HOOK WITH MECHANIC
ADJUSTABLE LEVEL



UNDERFRAME PIERCED
LONGITUDINAL MEMBERS



BOBEASY
CAB CONTROL




MECHANICAL LOCKING
PINS



EXTERNAL MECHANICAL
LOCKING




SHORT



MODEL	T 18.000 XC
VERSION	SHORT
LIFTING TIPPING lb	18.000
HOOK HEIGHT INCHES	36"/54"
HOOK HEIGHT ADJUSTMENT	Mechanical/Hydraulic (OPT)
CONTAINER LENGHT FEET	10'-14'
CA - CT INCHES	114/126
MIN GVWR lb	22.000
AXLES	SINGLE
DUMP ANGLE	53°
WEIGHT lb	2524
PRESSURE PSI	3300
OIL TANK US GALS	15




HOOK WITH MECHANIC
ADJUSTABLE LEVEL



BOBEASY
CAB CONTROL




HOOK WITH HYDRAULIC
ADJUSTABLE LEVEL



HOOK WITH MECHANIC
ADJUSTABLE LEVEL



UNDERFRAME PIERCED
LONGITUDINAL MEMBERS




MECHANICAL LOCKING
PINS




EXTERNAL MECHANICAL
LOCKING


SHORT




LONG



MODEL	T 22.000 XC	T 22.000 N
VERSION	SHORT	LONG
LIFTING TIPPING lb	22.000	22.000
HOOK HEIGHT INCHES	36"/54"	36"/54"
HOOK HEIGHT ADJUSTMENT	Mechanical/Hydraulic (OPT)	Mechanical/Hydraulic (OPT)
CONTAINER LENGTH FEET	10'-14'	12'-16'
CA - CT INCHES	114/126	136/148
MIN GVWR lb	26.000	26.000
AXLES	SINGLE	SINGLE
DUMP ANGLE	53°	53°
WEIGHT lb	2612	2755
PRESSURE PSI	4100	4100
OIL TANK US GALS	15	15



HOOK WITH MECHANIC
ADJUSTABLE LEVEL



HOOK WITH HYDRAULIC
ADJUSTABLE LEVEL



UNDERFRAME PIERCED
LONGITUDINAL MEMBERS




EXTERNAL MECHANICAL
LOCKING




BOBEASY
CAB CONTROL

BOBEASY
CAB CONTROL

SHORT




LONG



MODEL	T 31.000 NC	T 31.000 L
VERSION	SHORT	LONG
LIFTING TIPPING lb	31.000	31.000
HOOK HEIGHT INCHES	54"/62"	54"/62"
HOOK HEIGHT ADJUSTMENT	Mechanical/Hydraulic (OPT)	Mechanical/Hydraulic (OPT)
CONTAINER LENGTH FEET	13'-18'	16'-21'
CA - CT INCHES	160/172	185/197
MIN GVWR lb	33.000	33.000
AXLES	SINGLE	SINGLE
DUMP ANGLE	55°	45°
WEIGHT lb	3670	3836
PRESSURE PSI	4100	4100
OIL TANK US GALS	26	26




HOOK WITH MECHANIC
ADJUSTABLE LEVEL



HOOK WITH HYDRAULIC
ADJUSTABLE LEVEL



BOBEASY
CAB CONTROL




EXTERNAL MECHANICAL
LOCKING




UNDERFRAME PIERCED
LONGITUDINAL MEMBERS

SHORT




LONG



MODEL	T 40.000 C	T 40.000 L
VERSION	SHORT	LONG
LIFTING TIPPING lb	40.000	40.000
HOOK HEIGHT INCHES	54"/62"	54"/62"
HOOK HEIGHT ADJUSTMENT	Mechanical/Hydraulic (OPT)	Mechanical/Hydraulic (OPT)
CONTAINER LENGTH FEET	14'-18'	16'-21'
CA - CT INCHES	137/149	175/187
MIN GVWR lb	54.000	54.000
AXLES	TANDEM	TANDEM
DUMP ANGLE	55°	45°
WEIGHT lb	4365	4563
PRESSURE PSI	4200	4200
OIL TANK US GALS	26	26

HOOK WITH MECHANIC
ADJUSTABLE LEVEL



UNDERFRAME PIERCED
LONGITUDINAL MEMBERS



BOBEASY
CAB CONTROL




EXTERNAL MECHANICAL
LOCKING




TILTING REAR
ROLLERS

SHORT




LONG



MODEL	TL 50.000 C	TL 50.000 NL
VERSION	SHORT	LONG
LIFTING TIPPING lb	50.000	50.000
HOOK HEIGHT INCHES	54"/62"	54"/62"
HOOK HEIGHT ADJUSTMENT	Mechanical/Hydraulic (OPT)	Mechanical/Hydraulic (OPT)
CONTAINER LENGHT FEET	16'-21'	18'-24'
CA - CT INCHES	180/192	205/217
MIN GVWR lb	64.000	64.000
AXLES	TANDEM	TANDEM
DUMP ANGLE	54°	46°
WEIGHT lb	5996	6150
PRESSURE PSI	5100	5100
OIL TANK US GALS	42	42


HOOK WITH HYDRAULIC
ADJUSTABLE LEVEL



BOBEASY
CAB CONTROL




HOOK WITH MECHANIC
ADJUSTABLE LEVEL



SOFT TOUCH
INTERLOCK



EXTERNAL MECHANICAL
LOCKING




UNDERFRAME PIERCED
LONGITUDINAL MEMBERS




BOLTED INTERCHANGEABLE
CONTAINER SUPPORT



SHORT




LONG



MODEL	TL 60.000 C	TL 60.000 NL
VERSION	SHORT	LONG
LIFTING TIPPING lb	60.000	60.000
HOOK HEIGHT INCHES	54"/62"	54"/62"
HOOK HEIGHT ADJUSTMENT	Mechanical/Hydraulic (OPT)	Mechanical/Hydraulic (OPT)
CONTAINER LENGTH FEET	16'-21'	18'-24'
CA - CT INCHES	180/192	205/217
MIN GVWR lb	64.000	64.000
AXLES	TANDEM	TANDEM
DUMP ANGLE	54°	46°
WEIGHT lb	6106	6261
PRESSURE PSI	4600	4600
OIL TANK US GALS	42	42

HOOK WITH MECHANIC
ADJUSTABLE LEVEL




BOLTED INTERCHANGEABLE
CONTAINER SUPPORT



HOOK WITH HYDRAULIC
ADJUSTABLE LEVEL



EXTERNAL MECHANICAL
LOCKING




UNDERFRAME PIERCED
LONGITUDINAL MEMBERS




BOBEASY
CAB CONTROL



SHORT



LONG



MODEL	TL 65.000 C	TL 65.000 NL
VERSION	SHORT	LONG
LIFTING TIPPING lb	65.000	65.000
HOOK HEIGHT INCHES	54"/62"	54"/62"
HOOK HEIGHT ADJUSTMENT	Mechanical/Hydraulic (OPT)	Mechanical/Hydraulic (OPT)
CONTAINER LENGHT FEET	16'-21'	18'-24'
CA - CT INCHES	180/192	205/217
MIN GVWR lb	64.000	64.000
AXLES	TANDEM	TANDEM
DUMP ANGLE	54°	46°
WEIGHT lb	6525	6702
PRESSURE PSI	4600	4600
OIL TANK US GALS	42	42



BOBEASY
CAB CONTROL

FRONT CONTAINER
SUPPORT

HOOK WITH MECHANIC
ADJUSTABLE LEVEL


54"-62"

UNDERFRAME PIERCED
LONGITUDINAL MEMBERS


EXTERNAL HYDRAULIC
LOCKING

REAR
ROLLERS

SHORT



LONG



MODEL	TAL 50.000 C	TAL 50.000 NL
VERSION	SHORT	LONG
LIFTING TIPPING lb	50.000	50.000
HOOK HEIGHT INCHES	54"/62"	54"/62"
HOOK HEIGHT ADJUSTMENT	Mechanical	Mechanical
CONTAINER LENGHT FEET	14'-21'	16'-24'
CA - CT INCHES	180/192	205/217
MIN GVWR lb	64.000	64.000
AXLES	TANDEM	TANDEM
DUMP ANGLE	57°	48°
WEIGHT lb	6481	6657
PRESSURE PSI	4800	4800
OIL TANK US GALS	42	42


BOBEASY
CAB CONTROL



HOOK WITH MECHANIC
ADJUSTABLE LEVEL



PNEUMATIC HOOK



ARTICULATED ARM



TILTING REAR
ROLLERS




UNDERFRAME PIERCED
LONGITUDINAL MEMBERS




EXTERNAL HYDRAULIC
LOCKING

SHORT




LONG



MODEL	TAL 60.000 C	TAL 60.000 NL
VERSION	SHORT	LONG
LIFTING TIPPING lb	60.000	60.000
HOOK HEIGHT INCHES	54"/62"	54"/62"
HOOK HEIGHT ADJUSTMENT	Mechanical	Mechanical
CONTAINER LENGTH FEET	14'-21'	16'-24'
CA - CT INCHES	180/192	205/217
MIN GVWR lb	64.000	64.000
AXLES	TANDEM	TANDEM
DUMP ANGLE	57°	48°
WEIGHT lb	6591	6768
PRESSURE PSI	3900	3900
OIL TANK US GALS	42	42

HOOK WITH MECHANIC
ADJUSTABLE LEVEL



ARTICULATED ARM



EXTERNAL HYDRAULIC
LOCKING



TILTING REAR
ROLLERS




BOBEASY
CAB CONTROL




UNDERFRAME PIERCED
LONGITUDINAL MEMBERS



SHORT



LONG



MODEL	TAL 65.000 C	TAL 65.000 NL
VERSION	SHORT	LONG
LIFTING TIPPING lb	65.000	65.000
HOOK HEIGHT INCHES	54"/62"	54"/62"
HOOK HEIGHT ADJUSTMENT	Mechanical	Mechanical
CONTAINER LENGHT FEET	14'-21'	16'-24'
CA - CT INCHES	180/192	205/217
MIN GVWR lb	64.000	64.000
AXLES	TANDEM	TANDEM
DUMP ANGLE	57°	48°
WEIGHT lb	7032	7209
PRESSURE PSI	4400	4400
OIL TANK US GALS	42	42



bob unilift





www.bobunilift.com



bob unilift



call us for information at
Ph. +1 276 252 9105



Stock Available

ROLL OFF TRUCK WORLD

3941 FM362, Brookshire, TX 77423

Ph. (281) - 864 - 0891 • ts@truckworld.us

Stock Available

TIMBERLAND TRUCK SALES CORP.

218 Virgil H. Goode Highway • Bassett VA 24055

Ph. +1 276 6294400 • jack@timberlandtrucks.com

BOB SISTEMI IDRAULICI SpA

Reg. Oltre Rea, 32 - 12060 Monchiero (CN) - Italy - Ph. +39 0173 780 002 - info@bobspa.com